



# Super Selective Plus

- \* Three active ingredients in one formulation, give rapid control of most commonly occurring broad-leaved weeds in turf
- \* Improved lower application rates with high concentrations of active ingredients
- \* Improved spectrum of activity, controls more resistant weeds e.g. Yarrow

#### Application rates – Lower rate

Equipment	Super Selective Plus	Water Volume	Area
Power Sprayer	3.5 litres	300-500 litres	1 ha
Knapsack Sprayer	175ml	15-25 litres	500m <sup>2</sup>

#### Application rates – Higher rate

Equipment	Super Selective Plus	Water Volume	Area
Power Sprayer	5.5 litres	300-500 litres	1 ha
Knapsack Sprayer	275ml	15-25 litres	500m <sup>2</sup>

#### Recommended nozzles e.g. BFS, Hypro, Hardi (guide only)

Equipment	Spray quality	BFS Nozzle		
		Type	Colour	Code
Power Sprayer	Medium	*WR Flat fan	Brown	WRFF 05
	Coarse	Air bubble jet	Brown	ABJ 05
Knapsack (single jet)	Coarse	*WR Flat fan	Red	WRFF 04
	Coarse	Air bubble jet	Red	ABJ 04

See detailed Air Bubble Jet application chart page 50

\* WR=Wide Range – These 110° nozzles allow spraying pressures down to 1 bar

Equipment	Spray quality	Hypro Nozzle		
		Type	Colour	Code
Power Sprayer	Medium	Flat fan	Brown	F110-05
Knapsack (boom)	Coarse	Flat fan	Red	F80-04

Equipment	Spray quality	Hardi Nozzle		
		Type	Colour	Code
Power Sprayer	Medium	Flat fan	Brown	FF05 110
Knapsack (boom)	Medium	Flat fan	Red	04 E80

Contains: 237.5g mecoprop-p, 256.25g MCPA and 31.25g dicamba per litre

MAPP No: 11928

Pack size: 5 litres

Pack coverage: 1.82-2.86 ha

RT order code: 0423326/05

Use plant protection products safely. Always read the label and product information before use.

Although cultural operations can do much to reduce the severity of weed problems, weeds are very tough and selective herbicides often represent the last line of defence. So choosing the right herbicide is an important step as all weeds differ in their susceptibility to particular herbicides.

One should then think carefully about the timing of the treatment, as weeds are more effectively controlled when they are actively growing, especially in spring and early autumn. Young weeds are generally more easily controlled and certain weeds can be more susceptible when treated prior to flowering. It is often a good idea to apply a fertilizer treatment two weeks prior to herbicide application as this will assist with herbicide uptake and encourage the sward to infill the bare areas left after weed control.

#### HOW MASCOT SUPER SELECTIVE PLUS WORKS

An effective combination of three active ingredients (mecoprop-p, MCPA and dicamba) enables this formulation to give good control of most commonly occurring broad-leaved weeds found in sports and amenity turf.

The addition of the active ingredient dicamba also gives control of some of the more resistant weed species.

Following application the active ingredients penetrate the cuticle and are translocated within the weed to their sites of activity where they exert a growth regulatory or hormone type action. This is seen as abnormal and twisted growth.

#### HOW TO APPLY MASCOT SUPER SELECTIVE PLUS

##### Managed amenity turf

Apply between April and September when the turf and weeds are actively growing. Do not mow turf for 24 hours before or after treatment or for 3 days if treating less closely mown turf. A repeat application can be made 4-6 weeks after the first spray, providing good growing conditions have been maintained.

Do not apply to amenity grass unless it has been established for at least 18 months. If renovating turf, do not re-seed for 6-8 weeks after treatment. Do not spray if rain is expected within 6 hours of treatment. Do not use first 4 mowings for mulching unless composted for at least 6 months.

#### WEEDS CONTROLLED

##### Lower application rate, 1 treatment per season:

Cat's Ear, Greater Plantain, Hoary Plantain, Lesser Plantain, Ribwort Plantain, Sea Plantain.

##### Lower application rate, 2 treatments per season:

Those above and Creeping Buttercup, Daisy, Dandelion.

##### Higher application rate, 1 treatment per season:

Those above and Bird's Foot Trefoil, White Clover, Common Mouse-ear, Black Medick, Selfheal, Lesser Trefoil (a repeat application may be necessary).

##### Higher application rate, 2 treatments (in successive seasons if necessary):

Those above and Pearlwort, Yarrow.



*With Super Selective Plus  
it costs you only for the weed  
problem you need to control!*