

RIGBY TAYLOR LTD

PRODUCT SAFETY DATA SHEET: QUALGEX.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Marketed By:

**RIGBY TAYLOR LTD
RIGBY TAYLOR HOUSE
CROWN LANE
HORWICH
HERTS BL6 5HP
Tel: 01204 677777
Fax: 01204 677715**

**Emergency tel:
07802 844234 (out of hours only)**

Product Name: QUALGEX

Product Code: 8562

Use/Description of Product: Hard surface biocide

2. HAZARDS IDENTIFICATION

Classification under CHIP: Irritating to skin. Risk of serious damage to eyes.

Workplace Exposure Limit: This substance does not have a workplace exposure limit.

PBT: This substance is not identified as a PBT substance.

Directive 1999/45/EC: This mixture meets the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

3. COMPOSITION/INFORMATION ON INGREDIENTS:

Contains: ALCOHOL ETHOXYLATE 6 1-10%

CAS: 68439-45-2

[Xn] R22; [Xi] R41;

DIOCTYLDIMETHYLAMMONIUM CHLORIDE 1-10%

EINECS: 226-901-0 CAS: 5538-94-3

[Xn] R22; [C] R34; [N] R50

PROPAN-2-OL 1-10%

EINECS: 200-661-7 CAS: 67-63-0

[F] R11; [Xi] R36; [-] R67

PRODUCT SAFETY DATA SHEET: QUALGEX.

4. FIRST AID MEASURES:

Skin Contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye Contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

5. FIRE FIGHTING MEASURES:

Extinguishing Media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

Exposure Hazards: In combustion emits toxic fumes.

Protection of fire fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES:

Personal Precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing – see section 8 of SDS. Turn leaking containers leak-side up to prevent escape of liquid.

Environmental Precautions: Do not discharge drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

7. HANDLING & STORAGE:

Handling Requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

Storage Conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable Packaging: Must only be kept in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Hazardous Ingredients: PROPAN-2-OL

UK – 7 hour TWA: 999mg/m³

UK – 7 hour TWA: 1250mg/m³

Engineering Measures: Ensure there is sufficient ventilation of the area.

Respiratory Protection: Self-contained breathing apparatus must be available in case of emergency.

Hand Protection: Protective gloves.

Eye Protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin Protection: Protective clothing.

PRODUCT SAFETY DATA SHEET: QUALGEX

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance: Liquid

Colour: Colourless

Odour: Perceptible odour

Solubility in Water: Highly soluble
--

Viscosity: Non-viscous

Flash Point: >70

Relative density: 1.055 ± 0.010
--

pH: 2 ± 1

10. STABILITY AND REACTIVITY:

Chemical Stability: Stable under normal conditions.
--

Conditions to avoid: Heat

Materials to avoid: Strong oxidising agents. Strong bases.

Hazardous Decomposition Products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION:

Acute Effects: Irritating to skin. Risk of serious damage to eyes.

11. TOXICOLOGICAL INFORMATION (SYMPTOMS):
--

Skin Contact: There may be irritation and redness at the site of contact.
--

Eye Contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.
--

12. ECOLOGICAL INFORMATION:

Mobility: Readily absorbed in soil.
--

Persistence and Degradability: Biodegradable.
--

Bioaccumulative Potential: No bioaccumulation potential.

Other Adverse Effects: Negligible ecotoxicity.

Inhalation: This substance is not identified as a PBT substance.

PRODUCT SAFETY DATA SHEET: QUALGEX

13. DISPOSAL CONSIDERATIONS:

Disposal Operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of Packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION ROAD & RAIL:

ADR / RID:

UN number: Not Classified.

IMDG / IMO:

UN number: Not Classified.

IATA / ICAO:

UN number: Not Classified.

15. REGULATORY INFORMATION

Hazard Symbols: Irritant.



Risk Phrases: R38: Irritating to eyes and skin.

R41: Risk of serious damage to eyes.

Safety Phrases: S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S39: Wear eye / face protection

S60 This material and its container must be disposed of as hazardous waste.

Haz. Ingredients (label): DIOCTYLDIMETHYLAMMONIUM CHLORIDE

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Other Information: This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

* indicates text in the SDS which has changed since the last revision.

Risk Phrases used in s.3:

R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

R34: Causes burns.

R50: Very toxic to aquatic organisms

R11: Highly flammable

R36: Irritating to eyes

R67: Vapours may cause drowsiness and dizziness.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Date of Issue: 26th March 2009. Revision No: 3.